

DETECTION MEASUREMENT & CONTROL SOLUTIONS



Honeywell



TABLE OF CONTENTS


- 4 Introduction
- 6 Fixed Gas Detection
- 7 High Tech Gas Detection
- 8 Portable Gas Detection
- 9 Modular Automation Systems
- 10 Field Instruments & Process Instruments
- 11 Terminals
- 12 Gas Measurement & Control
- 13 Gas Volume Conversion & Gas Analysis
- 14 Marine Operation Technology

INTRODUCTION

Honeywell plays a vital role in industrial automation, focusing on improving operational efficiency and safety in key sectors such as oil and gas, chemicals, utilities, manufacturing and more.

Our solutions include advanced detection and measurement technologies, control systems, and software designed to deliver real-time data insights. These innovations empower businesses to optimize processes, enhance safety and security, comply with regulatory standards, and improve operational efficiency.

We take pride in our broad, versatile portfolio that spans multiple verticals and addresses the needs of a wide range of industries. The image below illustrates the many sectors where Honeywell technologies can be applied.



**1**

GIGAFACTORY

- Modular Automation System
- Fixed Gas Detection
- Portable Gas Detection
- High Tech Gas Detection
- Field Instruments & Process Instruments

2

UTILITIES

- Gas Measurement & Controls
- Gas Volume Conversion & Gas Analysis
- Modular Automation System
- Fixed Gas Detection
- Portable Gas Detection
- Field Instruments & Process Instruments

3

ENERGY STORAGE

- Portable Gas Detection
- Fixed Gas Detection
- Modular Automation System
- Terminals
- Field Instruments & Process Instruments

4

LIFE SCIENCE

- Modular Automation System
- Portable Gas Detection
- Fixed Gas Detection
- High Tech Gas Detection
- Field Instruments & Process Instruments

5

SEMICONDUCTOR AND MANUFACTURING

- High Tech Gas Detection
- Fixed Gas Detection
- Portable Gas Detection
- Field Instruments & Process Instruments
- Modular Automation System

6

RENEWABLE ENERGY SOLUTIONS

- Field Instruments & Process Instruments
- Fixed Gas Detection
- Portable Gas Detection
- Modular Automation System
- Gas Measurement & Control
- Gas Volume Conversion & Gas Analysis
- Terminals

7

REFINERY AND PETROCHEMICALS

- Fixed Gas Detection
- Portable Gas Detection
- Field Instruments & Process Instruments
- Gas Volume Conversion & Gas Analysis
- Modular Automation System
- Terminals

8

CHEMICAL MANUFACTURING

- Fixed Gas Detection
- Portable Gas Detection
- Field Instruments & Process Instruments
- Modular Automation System
- Terminals

9

MARINE

- Fixed Gas Detection
- Portable Gas Detection
- Modular Automation System
- Field Instruments & Process Instruments

10

PIPELINES TERMINAL AND LNG

- Terminals
- Fixed Gas Detection
- Portable Gas Detection
- Field Instruments & Process Instruments
- Modular Automation System

11

STEEL FOUNDRIES, ALUMINIUM SMELTERS, ETC.

- Fixed Gas Detection
- Portable Gas Detection
- Modular Automation System
- Field Instruments & Process Instruments
- Gas Volume Conversion & Gas Analysis

FIXED GAS AND FLAME DETECTION

Honeywell's fixed gas and flame detection systems are essential safety measures for industrial environments, designed to monitor and identify the presence of hazardous gases or flames.



**FIXED GAS
AND FLAME
DETECTION**

These systems rely on stationary sensors strategically placed throughout a facility to continuously measure gas concentrations or monitor for flames, delivering real-time data to operators for immediate response.

SEARCHPOINT OPTIMA PLUS - ADVANCED INFRARED POINT GAS DETECTOR

The Searchpoint Optima Plus is a state-of-the-art infrared point gas detector specifically designed for hydrocarbon detection in potentially explosive environments.

Key Features:

- Proven Technology: Utilizes infrared detection principles for fast response times and fail-safe operation.
- Enhanced Reliability: Incorporates advanced internal fault diagnostics and false alarm rejection algorithms to help ensure operational integrity.
- Low Total Cost of Ownership: Reduces ongoing operational costs compared to conventional electro-catalytic-based gas detectors by minimizing routine maintenance.
- Safety Compliance: Certified for use in hazardous environments, facilitates compliance with industry standards while helping to protect personnel and operations.



OMNIPOINT TRANSMITTER™ - NEXT GENERATION GAS DETECTION

The OmniPoint™ transmitter is a versatile and advanced gas detection solution designed for hazardous locations.

Key Features:

- Multi-Sensor Capability: Supports up to three sensors for the detection of toxic gases, oxygen, and flammable gas hazards, making it both scalable and flexible.
- Multiple Detection Technologies: Utilizes a range of sensor technologies to address diverse gas detection needs across industries.
- User-Friendly Interface: Includes a full-color, touch-key interface and Bluetooth®-enabled operation for intuitive setup and maintenance.

The OmniPoint™ transmitter is engineered to adapt to evolving industrial safety needs and is designed in alignment with global safety standards.



FS24X PLUS - FLAME DETECTION FOR HYDROCARBON AND HYDROGEN FIRES IN ONE DEVICE

The FS24X Plus, part of Honeywell's advanced FSX series, is a high-performance, multi-spectrum flame detector designed for challenging industrial environments.

Key Features:

- Reliable Performance: Equipped with WideBand IR™ infrared technology to quickly and accurately detect hydrocarbon and hydrogen fires before they escalate.
- Environmental Resilience: Operates reliably even in the presence of environmental inhibitors such as rain, fog, and smoke.
- Advanced Detection: Offers enhanced flame detection performance for demanding applications, helping to ensure the highest level of operational safety.



HIGH TECH GAS DETECTION

Honeywell provides advanced gas detection solutions with a global installed base to safeguard against toxic and flammable hazards.



HIGH
TECH

Delayed detection of gas leaks or fires can severely impact property, the environment, and human safety. This portfolio utilizes technologies like spectroscopy, electrochemical cartridges, catalytic beads, infrared, and colorimetric Chemcassette® detectors for exceptional accuracy and reliability.

MIDAS®S2

The Midas® S2 is a fixed, extractive single-point gas transmitter designed for continuous monitoring of low-level toxic, flammable, and oxygen gases in high-purity environments.

Key Features:

- Versatile Detection: Supports a wide range of sensor cartridges for toxic, flammable, and oxygen gas detection.
- Flexible Applications: Ideal for semiconductor manufacturing, light industrial operations, and research institutions specializing in semiconductor processing.
- Accurate Sampling: Capable of drawing gas samples locally or remotely to help ensure precise monitoring.



SPM FLEX

The SPM Flex enhances safety and productivity with its user-friendly, tape-based gas detection system designed for low-level toxic gas monitoring.

Key Features:

- Versatile Use Cases: Suitable for emergencies, leak investigations, and routine tool maintenance.
- Precision Detection: Incorporates Chemcassette® technology to detect ultrasensitive toxic gases such as hydrides, mineral acids, oxidizers, and amines.
- Flexible Integration: Delivers high accuracy, intuitive operation, and adaptability to even the most challenging environments.
- The SPM Flex is available in portable and fixed configurations, helping to ensure versatility and ease of deployment across applications.



VERTEX™ GAS MONITORING SYSTEM

The Honeywell Vertex™ Multi-point Gas Monitoring System provides precise, continuous detection of low-level toxic gases with advanced Chemcassette® technology.

Key Features:

- Scalable Monitoring: Supports up to 72 points of simultaneous monitoring and detects over 40 gas types.
- High Reliability: Includes built-in redundancy and advanced diagnostics to minimize downtime and ensure optimal performance.
- User-Friendly Interface: Features intuitive touchscreen controls for streamlined operations and monitoring.
- Operational Cost Savings: Reduces total cost of ownership by combining flexibility, reliability, and adaptability, making it ideal for semiconductor and high-tech environments.



ACM 150G2

The Honeywell ACM 150G2 is a high-performance centralized gas monitoring system that utilizes advanced FT-IR (Fourier Transform Infrared) technology.

Key Features:

- Extensive Coverage: Sequentially monitors up to 40 points, and capable of detecting up to 15 gases per location.
- Durable Construction: Features a rugged, sealed aluminum body for long-lasting performance in demanding industrial environments.
- Enhanced Efficiency: Offers improved signal-to-noise ratios, low detection limits, and robust self-diagnostics for accurate and reliable operation.
- User-Friendly Design: Includes an intuitive touchscreen interface and flexible communication options for simplified operation and maintenance.



PORTABLE GAS DETECTION

Accidental gas leaks present a significant risk to property, the environment, and human life. To address these challenges, Honeywell Gas Detection offers a comprehensive portfolio of portable gas detectors.



**PORTABLE GAS
DETECTION**

Designed with compact, lightweight, and user-friendly configurations, these detectors range from simple alarm-only units to advanced, configurable, and serviceable instruments.

Honeywell's portable gas detectors provide real-time visibility into the status and safety of workers in hazardous areas, empowering companies to respond to safety incidents more quickly and effectively.

BW™ SOLO – SINGLE-GAS DETECTOR

The Honeywell BW™ Solo is an easy-to-maintain single-gas detector equipped with Bluetooth® Low Energy (BLE) connectivity, delivering enhanced real-time safety monitoring.

Key Features:

- **Versatile Detection:** Detects up to 15 user-selected common or exotic gases, ensuring flexibility for multiple use cases.
- **Data Management:** Data can be downloaded directly from the detector or its docking station to a PC for integration into Honeywell's Safety Suite software platform. This facilitates automation of compliance tasks such as regulatory records management.
- **Ease of Use and Maintenance:** Its lightweight construction and user-friendly operation simplify serviceability while helping to lower long-term ownership costs.



BW™ FLEX – MULTI-GAS DETECTOR

The Honeywell BW™ Flex provides the flexibility to address diverse portable detection needs, particularly in industries such as steel, wastewater, and paper manufacturing.

Key Features:

- **Multi-Sensor Capability:** Choose from over 15 sensors to simultaneously detect up to 4 gas hazards.
- **High-Resolution Display:** Large screen supports readings in a wide range of languages, thus helping to convey critical safety information effectively and clearly.
- **Innovative Design:** Combines compact size, robust construction, and intuitive operation.
- **The BW™ Flex builds on the legacy of Honeywell gas detection products,** delivering versatility and trusted performance.



BW™ RIGRAT

The Honeywell BW™ RigRat is an advanced, user-friendly multi-gas area monitor designed for deployment in extreme industrial environments.


Key Features:

- **Durable & Reliable:** Operates within a temperature range of -40°F to +140°F (-40°C to +60°C), making it suitable for challenging conditions.
- **Extended Runtime:** Provides up to 8 weeks of continuous operation on a single charge.
- **Advanced Sensor Support:** Compatible with up to six interchangeable sensor types, including electrochemical, PID, infrared, and catalytic bead.
- **Certified for Hazardous Areas:** Certified for use in explosive atmospheres (ATEX/IECEx Zone 0 and CSA C1D1).
- **The BW™ RigRat features one-button operation, mobile app integration, and real-time alerts to detect gas threats beyond the breathing zone,** promoting flexibility and safer working environments.



MODULAR AUTOMATION SYSTEMS

Honeywell's modular automation systems provide integrated solutions for industrial automation and control, offering enhanced capabilities across a range of industries. These systems help enable seamless data flow from field devices to control rooms and beyond, delivering improved operational efficiency, safety, and reliable performance.



**MODULAR
AUTOMATION
SYSTEMS**

CONTROLEdge™ PLC / HC900 / RTU

The Honeywell ControlEdge™ product line is designed to meet the needs of diverse industrial applications.

- Robust Applications Range: Suitable for blowout preventers (BOPs), process control, and systems exposed to harsh environments requiring remote connectivity.
- Cybersecurity Certifications: ControlEdge PLC is one of the first controllers in the industry to achieve ISA Level 2 Cybersecurity certification.



CONTROLEdge™ DISCRETE PLC

The Honeywell ControlEdge™ Discrete PLC is a high-speed, cybersecure solution tailored to the discrete manufacturing market.

- Performance: Features motion control capability and a 1ms scan speed for high-speed processes.
- Compliance: Meets EN ISO 13849 standards for machine safety, up to PL e.
- Applications: Ideal for palletizers, conveyor sorters, and material handling in warehouse automation. Additionally, it supports discrete applications in food and beverage, pharmaceuticals, web manufacturing, and metals, mining, and minerals.

The ControlEdge™ Discrete PLC is a cutting-edge addition to Honeywell's modular control systems portfolio, delivering advanced control and compliance for a wide range of industries.



DRIVES: VARIABLE FREQUENCY DRIVES

Honeywell Variable Frequency Drives (VFDs) are versatile, general-purpose solutions designed to meet the automation and energy efficiency requirements of diverse industrial applications, ranging from small pumps to large compressors.

Key Features:

- Precise control of speed, torque, and position of three-phase AC induction and permanent magnet motors by varying input frequency and voltage.
- Seamless integration with Honeywell's Experion® and ControlEdge® platforms for enhanced motor control and advanced automation capabilities.



EXPERION® PLATFORM

The Honeywell Experion® platform is a scalable and integrated suite of automation solutions, combining Distributed Control Systems (DCS), Human-Machine Interfaces (HMI), and SCADA (Supervisory Control and Data Acquisition) systems to deliver advanced control across process industries.

- Experion® LX and PlantCruise: Purpose-built DCS solutions designed for continuous and batch process control. These platforms offer proven technology and agility, ensuring greater system reliability and advanced control. They also empower users to extend their scope beyond process control to include personnel, assets, and even business operations.
- Experion® HS: A scalable and robust HMI/SCADA solution designed for unit operations of all sizes. With a focus on usability and compliance, Experion® HS helps ensure real-time monitoring, control, and data acquisition.
- Experion® helps enable smooth integration across the enterprise operations, promoting efficiency, reliability, and control.



FIELD INSTRUMENTS & PROCESS INSTRUMENTS

Honeywell's Field and Process Instruments play a vital role in ensuring precise monitoring and control of industrial operations. Together, these instruments help provide the insights and control needed to maintain smooth, efficient, and reliable operations.



**FIELD
INSTRUMENTS**



**PROCESS
INSTRUMENTS**

SMARTLINE TRANSMITTERS

Honeywell's SmartLine Transmitters empower businesses to enhance reliability, performance, and monitoring while optimizing operating costs.

Our smart field devices measure critical variables such as pressure, temperature, flow, and level, which are essential to safe and efficient production. In large-scale industrial facilities, where thousands of transmitters are deployed, even marginal performance improvements can deliver significant savings over time.

Discover how Honeywell's SmartLine Transmitters deliver smart performance, modern design, and a user-friendly experience to simplify and improve your operations.



HONEYWELL VERSATILIS™ TRANSMITTER

The Honeywell Versatilis™ Transmitter employs long-range, low-energy LoRaWAN® protocols to seamlessly transmit data related to equipment health, environmental conditions, and gaseous emissions across vast areas. BLE (Bluetooth Low Energy) communications are also supported, enabling quick and reliable configuration and troubleshooting.

The Honeywell Versatilis™ Transmitter product line integrates effortlessly with the Experion® Enhanced Health Monitoring (EHM) system (refer to the Modular Automation Systems section for more information).



DRC900C CIRCULAR CHART RECORDER

The DRC900C microprocessor-based circular chart recorder is a cost-effective and reliable solution for accurate, analog trace documentation.

- Chart Sizes: Accommodates 10-inch charts with single or dual-pen configurations.
- Display Options: Available in versions with or without local displays. Features a capacitive touch interface for process variable viewing and local configuration.
- Connectivity: Supports remote monitoring and configuration through Bluetooth and Modbus protocols.

Designed for dependability and versatility, the DRC900C is ideal for professionals seeking a robust and flexible recording solution for various industrial scenarios.



UDC2800 DIN CONTROLLER

The UDC2800 is Honeywell's next-generation panel-mounted temperature controller, delivering:

- Enhanced connectivity and speed, with support for Bluetooth and remote app-based configuration.
- A full-color TFT screen for an intuitive, user-friendly interface.
- Industry-leading precision and efficiency improvements, helps contribute to cost savings.

This advanced controller is a powerful solution for single-loop control in applications ranging from furnaces, boilers, and ovens to environmental chambers, dryers, and cookers.



TERMINALS

Honeywell provides a comprehensive range of solutions for inventory management and tank terminal operations.



TERMINALS

These solutions prioritize connectivity, modular design, and robust migration capabilities to enhance operational efficiency and accuracy.

SERVO954

The Honeywell Smart Servo 954 is a highly accurate and versatile automatic tank gauge for measuring liquids in various types of storage tanks.

Key Features:

- **Advanced Technology:** Combines proven methodologies with enhanced electronics and software for superior performance.
- **Versatility:** Reliable under the most demanding process conditions, ensuring consistent accuracy across applications.
- **Enhanced Intelligence:** Equipped with increased intelligence to meet complex tank gauging needs.

The Servo 954 sets the standard for reliability and precision in tank gauging.



FLEXLINE RADAR 990

The SmartRadar FlexLine Automatic Tank Gauge (ATG) employs innovative algorithms and proven planar antenna technology for highly precise custody transfer and inventory measurement.

Key Features:

- **Precision Measurements:** Designed for highly accurate level measurement on large bulk storage tanks.
- **Flexible Antenna Portfolio:**
 - Offers a range of free space antenna designs, including smaller antennas (6" to 8") for cone roof tank installations.
 - Planar antennas are available for stilling well applications, covering diameters from 6' to 24'.
- **Advanced Algorithms:** Combines new software algorithms with Honeywell Enraf's proprietary antenna technology for unmatched measurement performance.

The SmartRadar FlexLine portfolio provides best-in-class radar tank gauging solutions for diverse industrial needs.



COMMUNICATION INTERFACE UNIT (CIU888)

The CIU888 is Honeywell's reliable communication interface, designed to support tank gauging and inventory monitoring systems.

Key Features:

- **Accurate Data:** Helps ensure the availability of precise tank measurements and calculated inventory data critical to safe and efficient terminal operations.
- **Enhanced Reliability:** Built to drive operational efficiency in all tank farm applications.



ENTIS - ENTIS TANK INVENTORY SYSTEM

Honeywell's Enraf® Tank Inventory Systems (ENTIS) software is designed to streamline inventory control, custody transfer, oil movement, and tank farm operations within refineries and storage terminals.

Key Features:

- **Proven Platform:** Built on the reliable Experion® Platform for seamless integration and scalability.
- **Modular & Flexible:** Suitable for all types of distribution and bulk terminals, providing flexibility and adaptability for diverse needs.
- **Accuracy & Security:** Delivers industry-leading accuracy with advanced security features for safe and efficient inventory management.

ENTIS is a trusted solution for maintaining accurate and reliable operations across tank farm applications.



GAS MEASUREMENT & CONTROL

Honeywell offers advanced gas control, measurement, and analysis solutions to gas utilities and global customers, helping to ensure precision, reliability, and operational excellence.



GAS
MEASUREMENT
& CONTROL

Q.SONIC-MAX6

The new ultrasonic gas flow meter Q.Sonic-max6 was built to extend the application range from Gas Transmission to Gas Distribution to serve a wide range of natural gas compositions—helping operators maintain confidence, compliance, and efficiency.

Key Features:

- Wider Operating Range: Handles a broader spectrum of gas mixtures including 30% Hydrogen operation and pressure ranges up to 250barg.
- Advanced Diagnostics & Flow Profile Recognition: Continuously monitors flow dynamics to maintain consistent measurement accuracy across all operating conditions.
- International certifications: MID, ISO17089, OIML R137, AGA9, CPA.

Whether you're managing custody transfer or gas injection, the Q.Sonic-max6 with six-paths layout delivers reliable and high-accuracy measurement.



TURBINE METERS - TR22

The Honeywell Elster TR22 turbine gas meter is a robust solution for accurate and reliable gas flow measurement across gas distribution networks, industrial plants, and commercial applications.

Key Features:

- Accuracy: Maintains high accuracy from initial calibration to the end of its operational lifespan, making it a trusted choice for leading gas distribution companies worldwide.
- Patented Metering Cartridge: Ensures repeatable results under non-ideal inlet flow conditions and decreases field service time with easy cartridge replacement.
- Resilience to Ambient Conditions: Minimal performance impact from environmental changes (e.g., temperature fluctuations) due to the decoupled cartridge design.

The TR22 is also among the first turbine gas flow meters approved for fiscal measurements of pure hydrogen, further cementing its place as a market leader.



ROTARY METERS - RABO® COMPACT

The Honeywell Elster RABO® Compact rotary gas meter combines high measuring ranges with a space-saving design, ensuring precise readings even under low or irregular gas flow conditions.

Key Features:

- Proven Reliability: Builds on the trusted performance of earlier Elster-Instromet rotary gas meters with forward-looking enhancements.
- Maintenance-Free Option: Reduces operational costs and service requirements, thus having the potential to offer significant time and money savings.
- Versatility: Suitable for measuring natural gas and various filtered, non-corrosive gases. It also supports 100% hydrogen operation, seeking to meet current and future market demands.

The RABO® Compact delivers innovation and reliability, addressing dynamic needs within the gas measurement industry.



PRESSURE REGULATORS - HON 380

The Honeywell HON 380 series regulators are engineered for inlet pressures of up to 20 bar, reinforcing Honeywell's medium-pressure product segment with robust solutions for public gas grids and industrial operations.

Key Features:

- Superior Functionality: Provides excellent control and lock-up properties, ensuring consistent and dependable performance.
- Modular Design for Serviceability: Features a simple modular structure, wide performance range, and compact form factor for ease of maintenance.
- Safety-Centric Build: Includes an integral safety shut-off valve and is fully compatible with 100% hydrogen, meeting evolving industry standards.

The HON 380 series offers a versatile, high-performance solution for professionals seeking reliability, efficiency, and safety in gas regulation applications.



GAS VOLUME CONVERSION & GAS ANALYSIS

Honeywell provides advanced solutions for gas volume conversion and gas analysis with reliable electronic measuring devices suited for gas transmission and distribution. These solutions are applicable to both custody and non-custody scenarios, helping to ensure precision, efficiency, and compliance efforts.



**GAS VOLUME
CONVERSION &
GAS ANALYSIS**

FLOW COMPUTER ENCORE FC1

The enCore FC1 flow computer redefines innovation by establishing a solid foundation for adaptable, customer-centric solutions. It is designed for gas and/or liquid measurement applications, along with the necessary calculation algorithms.

Key Features:

- **Modular System Design:** The enCore FC1 features both hardware and software modules, allowing for custom configurations that can be tailored to meet specific needs.
- **Advanced Display:** It is equipped with a modern, full graphic touch screen, which enhances user interaction and operational efficiency.
- **Future-Ready Technology:** This next-generation flow computer is designed to meet the demands of evolving applications, ensuring its relevance in the future.



ELSTER EK280

The Honeywell Elster EK280 is a universal volume conversion device designed for accurate billing and system monitoring across applications.

Key Features:

- **Integrated Functionality:** Equipped with data communication modules such as 4G/5G modems and a power supply unit (ATEX Zone 2 compliant).
- **Expanded Input Capabilities:** Supports digital inputs and accommodates second pressure or temperature sensors for enhanced monitoring.
- **Comprehensive Data Management:** Combines volume conversion, data logging, and remote data transfer in a single streamlined device.



ENCAL 3000 PROCHAIN

The Honeywell Elster EnCal 3000 proChain is an innovative gas chromatograph analyzer tailored for natural gas energy measurement.

Key Features:

- **Operational Efficiency:** Combines advanced Honeywell technology with a flexible, low OPEX solution that is cybersecure.
- **Energy Data Insight:** Provides reliable heating value and composition measurements.
- **Certified for Custody Transfer:** Fully certified for precise measurements in commercial and regulatory applications.



GASLAB Q2

The GasLab Q2 is a flame-free, continuous gas quality analyzer engineered for natural gas applications.


Key Features:

- **Comprehensive Measurements:** Determines calorific value, Wobbe index, and other essential gas characteristics.
- **Innovative Design:** Seeks to eliminate reliance on carrier and mixed calibration gases or combustion air supply, streamlining maintenance.
- **Cost-Effectiveness:** Assists in reducing total cost of ownership compared to traditional gas chromatographs, providing operational savings for users.



MARINE

Honeywell leverages decades of expertise to deliver a comprehensive range of products, solutions, and services for the marine industry.



MARINE

These offerings are designed to help enhance safety, efficiency, and sustainability in marine operations while ensuring compliance with international standards for marine security, emergency preparedness, and environmental regulations. Key benefits may include: Optimizing ship performance, enhancing operational efficiency and reducing overall costs.

UTIMETER

The HERMetric UTImeter Gtex is a portable electronic level gauge designed for closed, gas-tight operations.

Key Features:

- Multi-Parameter Measurement: Helps enable the safe and efficient measurement of ullage, temperature, and oil-water interface levels for custody transfer operations on tankers.
- Safety Compliance: Prevents gas release during operation when connected to a HERMetric vapor control valve.
- Streamlined Operation: Combines three measurements in a single operation designed to deliver accuracy and efficiency.



SAMPLER

The HERMetric Sampler GT and GT Chem are designed for liquid and chemical sampling under closed conditions.

Key Features:

- Gas-Tight Construction: Prevents vapor release, protecting operators from fume exposure during sampling.
- Flexible Mounting: Easily mounts on any HERMetric 2-inch deck valve using special adapters for seamless operation.
- Sampling Options: Delivered with zone, spot, bottom, and running sampling bottles to suit diverse application needs.

These samplers support safe, reliable operation while maintaining environmental and personnel safety standards.



EM540/940

The EM540/940 integrates seamlessly with Honeywell's Marine Communication Interface Unit (CIU) and its intrinsically safe power rack system. Its inventory management capabilities include:

Key Features:

- Calculation of standard volume.
- Compensation for trim, heel, and temperature.
- Real-time data display or transmission to the ship's load computer and ICMS (Integrated Control and Monitoring System).



MARINE TANK GAUGING

Honeywell's EM540/940 radar gauge provides continuous and precise level gauging to help ensure secure marine operations, particularly during loading and discharging.

Key Features:

- Sophisticated Tank Applications: Ideal for tanker operations involving chemicals, bitumen, floating production storage and offloading (FPSO), floating storage offloading (FSO), and inland river vessels.
- Flexible Installation: Supports installation on still pipes or in free spaces, depending on the radar type.
- Multi-Parameter Monitoring: Equipped with up to six analog inputs to monitor temperature, inert gas pressure, and nearby tank gauges.



A PROVEN LEADER IN DETECTION, MEASUREMENT, AND CONTROL

Honeywell has been a global leader in delivering cutting-edge detection, measurement, and control solutions across various industries for decades. Our robust portfolio is designed to improve operational efficiency and enhance safety.



UNRIVALED EXPERTISE

With decades of field-proven experience, our advanced systems and services are backed by a knowledgeable team that understands the unique challenges of diverse industrial sectors.



GLOBAL EXPERIENCE, LOCALLY APPLIED

Supported by a worldwide network of certified global project managers, we provide service, repair assistance, and rapid access to spare parts.



EASE OF USE

Our solutions emphasize simplicity, offering streamlined installation, usability, and maintenance, all in adherence to established industry standards.



PROACTIVE LIFECYCLE SUPPORT SERVICES

We prioritize equipment accuracy and reliability while minimizing potential failures and downtimes to ensure smooth operations.



COMPLIANCE WITH INTERNATIONAL STANDARDS

Our products and solutions meet the most rigorous standards for security, emergency preparedness and compliance with global environmental regulations.



END-TO-END OFFERINGS

Comprehensive solutions simplify procurement and integration, allowing Honeywell to serve as a single partner for all detection, measurement, and control needs.

Warranty

Honeywell's standard product warranty applies unless otherwise agreed upon by both parties in writing. Please refer to your order acknowledgment or consult your local sales office for detailed warranty terms.

Liability and Responsibilities

- Honeywell shall not be liable for consequential, special, or indirect damages.
- While Honeywell provides product information and engineering support through its personnel, literature, and website, determining the suitability of any Honeywell product for a specific application rests solely with the buyer. In addition, the terms of any purchase, as set forth in a contract, order acknowledgement, or otherwise, shall govern over any terms or representations (express or implied) herein.

Product specifications may change without notice, and the information provided is believed to be accurate and reliable at the time of publication. Honeywell assumes no responsibility for its use.



**CONTACT
SALES**

Honeywell

Honeywell House, Arlington Business Park
Bracknell, Berkshire, England RG12 1EB UK

automation.honeywell.com



Check out our entire
**DETECTION
MEASUREMENT
& CONTROL SOLUTIONS**

BRO | 441DPH | 02/26
© 2026 Honeywell International Inc.

Honeywell